

Market Produce Specifications

Pomelo:

Pink..... 2
White 3

Market Produce Specifications

PRODUCE: CITRUS

TYPE: Pomelo

VARIETY: Pink

CLASS: One

GENERAL APPEARANCE CRITERIA	
COLOUR	<i>Pale greenish yellow to golden skin; may have slight pink blush; pink to dark pink flesh.</i>
VISUAL APPEARANCE	<i>With smooth, occasionally dimpled skin (depending on variety); prominent lenticels; often with light brown russeted areas; rind < 20mm thick; missing buttons permitted provided attachment areas are clean and dry; free from foreign matter. Loose fruit stickered by PLU (or barcode when available) and variety name per requirements.</i>
SENSORY	<i>Mild flavour similar to a grapefruit, fairly dry, fruit segments should separate easily from skin and pith; free from foreign or 'off' smells or tastes.</i>
SHAPE	<i>Round to slightly elongated oval or pear shaped; not misshapen.</i>
SIZE	<i>Generally >120mm diameter. As per pre-ordered size requirements, minimum net carton weight 10 kg.</i>
MATURITY	<i>Brix > 9°.</i>
MAJOR DEFECTS	
INSECTS	<i>With insects (eg. mealy bugs), especially in navel or button, or >10 scales (red/brown spots).</i>
DISEASES	<i>With fungal or bacterial rots of the skin or flesh (eg. Penicillium moulds, brown rot, soft rots).</i>
PHYSICAL / PEST DAMAGE	<i>With cuts holes, splits, and cracks (that break the skin).</i>
TEMPERATURE INJURY	<i>With dark brown depressed lesions (chilling injury) or watersoaked flesh (freezing damage). With pale, hard areas of skin (severe sunburn)</i>
MINOR DEFECTS	
DISEASES	<i>With superficial black/grey marks (eg. sooty blotch, sooty mould, Melanose) affecting > 33 % skin surface..</i>
PHYSICAL / PEST DAMAGE	<i>With brown/black specks (rust mite damage) affecting in aggregate > 4 sq cm. With up to 20 scale insects (red-brown spots, 2mm diameter). With slightly dark and sunken areas (oleocellosis) affecting >1 sq cm. of surface.</i>
PHYSIOLOGICAL DISORDERS	<i>With stem end corrugations >3mm wide, >half fruit length.</i>
SKIN MARKS / BLEMISHES	<i>With dark blemishes (eg stem end blemish) affecting in aggregate > 2 sq cm. of surface. With light blemish affecting in aggregate >4 sq cm. of surface.</i>
TEMPERATURE INJURY	<i>With bleached yellowish-orange areas (slight sunburn) affecting >4 sq cm.</i>
CONSIGNMENT CRITERIA	
TOLERANCE PER CONSIGNMENT	<i>Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.</i>
PACKAGING & LABELLING	<i>Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.</i>
SHELF LIFE	<i>Produce must provide not less than 14 days clear shelf life from date of receipt.</i>
RECEIVAL CONDITIONS	<i>Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 10 - 15°C for Receipt.</i>
CHEMICAL & CONTAMINANT RESIDUES	<i>All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.</i>
FOOD SAFETY REQUIREMENTS	<i>Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.</i>
<i>Specifications reviewable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.</i>	

Market Produce Specifications

PRODUCE: CITRUS

TYPE: Pomelo

VARIETY: White

CLASS: One

GENERAL APPEARANCE CRITERIA	
COLOUR	<i>Pale greenish yellow to yellow skin; may have darker markings on skin; pale yellow flesh.</i>
VISUAL APPEARANCE	<i>With smooth, occasionally dimpled skin (depending on variety); prominent lenticels; often with light brown russeted areas; rind < 20mm thick; missing buttons permitted provided attachment areas are clean and dry; free from foreign matter. Loose fruit stickered by PLU (or barcode when available) and variety name per requirements.</i>
SENSORY	<i>Mild flavour similar to a grapefruit, fairly dry, fruit segments should separate easily from skin and pith; free from foreign or 'off' smells or tastes.</i>
SHAPE	<i>Round to slightly elongated oval or pear shaped; not misshapen.</i>
SIZE	<i>Generally >120mm diameter. As per pre-ordered size requirements, minimum net carton weight 10 kg.</i>
MATURITY	<i>Brix > 9°.</i>
MAJOR DEFECTS	
INSECTS	<i>With insects (eg. mealy bugs), especially in navel or button, or >10 scales (red/brown spots).</i>
DISEASES	<i>With fungal or bacterial rots of the skin or flesh (eg. Penicillium moulds, brown rot, soft rots).</i>
PHYSICAL / PEST DAMAGE	<i>With cuts holes, splits, and cracks (that break the skin).</i>
TEMPERATURE INJURY	<i>With dark brown depressed lesions (chilling injury) or watersoaked flesh (freezing damage). With pale, hard areas of skin (severe sunburn)</i>
MINOR DEFECTS	
DISEASES	<i>With superficial black/grey marks (eg. sooty blotch, sooty mould, Melanose) affecting > 33 % skin surface..</i>
PHYSICAL / PEST DAMAGE	<i>With brown/black specks (rust mite damage) affecting in aggregate > 4 sq cm. With up to 20 scale insects (red-brown spots, 2mm diameter). With slightly dark and sunken areas (oleocellosis) affecting >1 sq cm. of surface.</i>
PHYSIOLOGICAL DISORDERS	<i>With stem end corrugations >3mm wide, >half fruit length.</i>
SKIN MARKS / BLEMISHES	<i>With dark blemishes (eg stem end blemish) affecting in aggregate > 2 sq cm. of surface. With light blemish affecting in aggregate >4 sq cm. of surface.</i>
TEMPERATURE INJURY	<i>With bleached yellowish-orange areas (slight sunburn) affecting >4 sq cm.</i>
CONSIGNMENT CRITERIA	
TOLERANCE PER CONSIGNMENT	<i>Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.</i>
PACKAGING & LABELLING	<i>Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.</i>
SHELF LIFE	<i>Produce must provide not less than 14 days clear shelf life from date of receipt.</i>
RECEIVAL CONDITIONS	<i>Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 10 - 15°C for Receipt.</i>
CHEMICAL & CONTAMINANT RESIDUES	<i>All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.</i>
FOOD SAFETY REQUIREMENTS	<i>Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.</i>
<i>Specifications reviewable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.</i>	